Attorney's Docket No. 5051-550



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Stefan Ufer

Serial No.: To Be Assigned

Filed: Concurrently Herewith

For:

2D/3D/ CHEMICAL SENSORS AND METHODS OF FABRICATING AND

OPERATING THE SAME

November 6, 2001

**Box Patent Application** Commissioner for Patents Washington, DC 20231

## INFORMATION DISCLOSURE STATEMENT

Sir:

Attached is a list of documents on form PTO-1449 together with a copy of each identified document. It is requested that these documents be considered by the Examiner and officially made of record in accordance with the provisions of 37 C.F.R. § 1.97 and Section 609 of the MPEP. The Commissioner is hereby authorized to charge any additional fee, which may be required, or credit any refund, to our Deposit Account No. 50-0220.

Respectfully submitted,

Mitchell S. Bigel

Registration No. 29,614

**Correspondence Address:** 

PATENT TRADEMARK OFFICE

CERTIFICATE OF EXPRESS MAILING

Express Mail Label No. EL 920742956 US

Date of Deposit: November 6, 2001

I hereby certify that this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: BOX PATENT APPLICATION, Commissioner for Patents, Washington, DC 20231.

Susan E. Freedman

Date of Signature: November 6, 2001

e. • • • • • • •								Page 1 o	
Form PTO-1449		U.S. Department of Commerce Patent and Trademark Office			Attorney Docket No. 5051-550	Serial No. To Be Assigned			
LICTO	VE DO		> D.V. 4 D.D. 10 4	NITE	Applicants:				
LIST		CUMENTS CITED  Several sheets if r		NI	Stefan Ufer Filing Date:			GAU:	
(Use several sheets if necessary)				To Be Assigned			GAU: E		
			U.	S. PATI	ENT DOCUMENTS			<u> </u>	
Examiner		Document No.	Date	Name		Class	Subclass	Filing Date	
Initials								Appropriate	
	1	5,670,031 09/23/97 Hintse		che et al.	204	412			
				ļ					
<del></del>	<u> </u>			ļ					
			<del></del>	<del> </del>					
				<del>                                     </del>		-			
	<u> </u>								
· · · · · · · · · · · · · · · · · · ·				ļ					
				<u> </u>					
						<u> </u>			
			FORE	EIGN PA	ATENT DOCUMENT	S			
		Document	Date	Count	ry	Class	Subclass	Translation	
		Number		7.000	·			Yes / No	
	3	WO 97/34140 WO 94/29708	09/18/97	PCT PCT					
	3				a Author Title Date	Partinant D	Pagas Eta)		
	4	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)  4 Marzouk et al., Electrodeposited Iridium Oxide pH Electrode for Measurement of Extracellular Myoc Acidosis During Acute Ischema, Analytical Chemistry, Vol. 70, No. 23, December 1, 1998, pp. 5054-5							
	Buck et al., Microfabrication Technology of Flexible Membrane Based Sensors for In Vivo Applications Electroanalysis, Vol. 7, No. 9, 1995, pp. 846-851							plications,	
6 Cosofret et al., Microfabricated Sensor Arrays Sensitive to pH and K <sup>+</sup> for Ionic D						nic Distribution N	Aeasurements i		
<ul> <li>the Beating Heart, Analytical Chemistry, Vol. 67, No. 10, May 15, 1995, pp. 1647-1653</li> <li>Horiuchi et al., Limiting Current Enhancement by Self-Induced Redox Cycling on a Micro-Mac</li> </ul>							<i>a</i> r ·		
	7	Electrode I Elec	trochem Soc	e <i>meni oy seij-inaucea i</i> 8 No. 12 December 19	11 Dy Self-Induced Redox Cycling on a Micro-Macro Twin 12 December 1991, pp. 3549-3553				
	8	Electrode, J. Electrochem. Soc., Vol. 138, No. 12, December 1991, pp. 3549-3553  Niwa et al., Fabrication and Characteristics of Vertically Separated Interdigitated Array Electrodes, J.							
Electroanal. Chem., Vol. 267, 1989, pp. 291-297							٥		
	9				nt of a Redox Couple at			les of Which	
					J. Electroanal. Chem.,				
10 Aoki et al., Quantitative Analysis of Reversible Diffusion-Controlled Currents of Redox Soluble Spec							le Species at		
		Interdigitated Array Electrodes Under Steady-State Conditions, J. Electroanal. Chem, Vol. 256, 1988, pp. 269-282							
		202							
			-						
	-	·		· · · · · · · · · · · · · · · · · · ·					

Examiner:	Date Considered:
-----------	------------------

Examiner:

Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.